

KNOWLEDGE BASE ARTICLE

Filter Pane Controls and Supported Column Types in List Filter Online



Disclaimer

For the purposes of this Disclaimer:

- **Company** (referred to as either "the Company", "We", "Us" or "Our" in this Disclaimer) refers to Vitextra SIA, LV-1009 Riga, Matise iela 61 - 25.
- **Document** refers to the Knowledgebase Article.
- **You** means the individual accessing the Document, or the company, or other legal entity on behalf of which such individual is accessing or using the Document, as applicable.
- **Website** refers to Vitextra, accessible from <https://vitextra.com>

Disclaimer

The information contained in the Document is for general information purposes only.

The Company assumes no responsibility for errors or omissions in the contents of the Document.

In no event shall the Company be liable for any special, direct, indirect, consequential, or incidental damages or any damages whatsoever, whether in an action of contract, negligence, or other torts, arising out of or in connection with the use of the contents of the Document. The Company reserves the right to make additions, deletions, or modifications to the contents in the Document at any time without prior notice.

Errors and Omissions Disclaimer

The information given by the Document is for general guidance on matters of interest only. Therefore, errors can occur even if the Company takes every precaution to ensure that the Document's content is current and accurate. Plus, given the changing nature of laws, rules, and regulations, there may be delays, omissions, or inaccuracies in the information contained in the Document.

The Company is not responsible for any errors or omissions, or for the results obtained from the use of this information.

Fair Use Disclaimer

The Company may use copyrighted material that the copyright owner has not explicitly authorized. The Company is making such material available for criticism, comment, news reporting, teaching, scholarship, or research.

The Company believes this constitutes a "fair use" of any such copyrighted material as provided for in section 107 of the United States Copyright law.

If You wish to use copyrighted material from the Document for your own purposes that go beyond fair use, You must obtain permission from the copyright owner.

"Use at Your Own Risk" Disclaimer

All information in the Document is provided "as is", with no guarantee of completeness, accuracy, timeliness or of the results obtained from the use of this information, and without warranty of any kind, express or implied, including, but not limited to warranties of performance, merchantability and fitness for a particular purpose.

The Company will not be liable to You or anyone else for any decision made or action taken in reliance on the information given by the Service or for any consequential, special or similar damages, even if advised of the possibility of such damages.

Contact Us

If you have any questions about this Disclaimer, You can contact Us by email: support@vitextra.com.


Table Of Contents

Introduction	4
Configuring the filter pane	4
Filter controls	7
Text	7
Text (with options)	7
Dropdown	8
Dropdown (Multiple Values)	8
Date picker	8
Date Range	9
Relative Date	9
Person or Group	9
Term	10
Numeric range	10
Yes/No	10
Column types and available controls	11
Related articles	12
Terms	13

Introduction

The filter pane is the part of [List Filter Online](#) that end users see most. An administrator selects the columns of the list that are worth filtering by and assigns a control to each of them; the users then narrow the list with drop-downs, date pickers, people pickers and sliders instead of typing **CAML** or opening several column menus in a row.

This article is a reference for that pane. It describes how the columns and controls are selected in the property pane, how each of the controls looks and behaves, which comparison the web part sends to **SharePoint Online** for it, and which controls are offered for each SharePoint column type. The general configuration of the web part is covered in [KB10201. Configuring the List Filter Online Web Part](#).




The screenshot shows the filter pane interface. At the top, there are buttons for '+ New' and 'Export' with a dropdown arrow. On the right, there are links for 'Saved Filters' with a dropdown arrow and a 'Refresh' button. Below these are several filter controls: a text input for 'Title', a dropdown for 'Department', a date range selector for 'Due date' with 'From' and 'To' labels and 'Select date' buttons, a text input for 'Assigned To', and a toggle switch for 'Billable' set to 'No'. At the bottom left are 'Apply Filter' and 'Clear Filter' buttons. A caption at the bottom reads 'The filter pane with several controls'.

Configuring the filter pane

The filter pane is configured in the **Filter pane** group of the property pane. The group holds three toggles and the column configurator:

- **Filter pane** — shows or hides the pane on the page. The pane is also hidden automatically when no columns are selected for it.
- **Cascading filters** — narrows the value lists of the drop-down controls by the filters selected in the other controls of the pane; see [KB10256. Cascading Filters in List Filter Online](#).
- **Remember the user's last filter** — restores the filter a user applied on the previous visit; see [KB10253. Saved Filters and Filter Links](#).
- **Selected Columns** — the list of columns currently in the pane (or **Not Selected**), followed by the **Select Columns** button that opens the configurator.



The **Select Columns** button opens the **Columns** panel. It lists every column of the selected list or library that SharePoint marks as filterable, except system columns and the hidden text columns that accompany managed metadata columns. Each row has the following fields:

Field	Purpose
Display	The check box that puts the column into the filter pane. Selected columns move to the top of the list when the panel is reopened.
Column	The name of the column in the list. On lists over 5,000 items a warning icon appears next to a column that is not indexed; see KB10257. Filtering Large Lists: Indexed Columns and the 5,000-Item Threshold .
Column Type	The SharePoint type of the column, for information.
Caption	The label shown above the control in the pane. By default it is the column

Field	Purpose
	name; change it when the users know the data under a different name or when the name is too long for the pane.
Filter Type	The control used for the column. The list offers only the controls that fit the column type (see the matrix below). The default control depends on the type as well.
Order	The position of the control in the pane, as a number. Choosing a new number moves the column to that position and renumbers the others.

Save applies the selection to the web part; **Cancel** closes the panel without changes. Columns that are not checked are not stored, so clearing a check box also discards the caption and control chosen for that column.

Columns

Display

Column

☒ Title
 ☒ Department
 ☒ Project
 ☒ Status
 ☒ Assigned To
 ☒ Due date
 ☐ Amount
 ☐ Hours
 ☐ Billable
 ☐ ID
 ☐ Content Type
 ☐ Modified
 ☐ Created
 ☐ Created By
 ☐ Modified By
 ☐ Attachments
 ☐ Type
 ☐ RansomwareAnomalyMetalInfo
 ☐ Draft Owner Id
 ☐ Main Link settings

Column Type

Single line of text
 Choice
 Choice
 Choice
 Person or Group
 Date and Time
 Currency
 Number
 Yes/No
 Counter
 Computed
 Date and Time
 Date and Time
 Person or Group
 Person or Group
 Attachments
 Computed
 Lookup
 Lookup
 Computed

Caption

Title
 Department
 Project
 Status
 Assigned To
 Due date
 Amount
 Hours
 Billable
 ID
 Content Type
 Modified
 Created
 Created By
 Modified By
 Attachments
 Type
 RansomwareAnomalyMetal...
 Draft Owner Id
 Main Link settings

Filter Type

Text
 Dropdown
 Dropdown
 Dropdown
 Text
 Text (with options)
 Dropdown
 Dropdown (Multiple Values)
 Yes/No
 Text
 Text
 Date Range
 Date Range
 Person or Group
 Person or Group
 Yes/No
 Text
 Text
 Text

Order

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

Cancel

Save

The filter pane column configurator

Note

Filters set in the pane take effect when the user clicks **Apply Filter**; changing a control does not reload the list by itself. **Clear Filter** resets every control and reloads the list without user filters. The conditions of the pane are joined with AND, both with each other and with the predefined filter built by the administrator in the **Filter** group. Applied conditions are shown as filter chips above the results, each with its own clear button and a **Clear all the filters** link.

Filter controls

The following sections describe each control that can be chosen in the **Filter Type** list: what the user sees, how a value is entered, and the comparison that the web part puts into the CAML query. The CAML element names (**Eq**, **Contains**, **In**, **Geq** and so on) are given for administrators who read the query in the **CAML Query** dialog of the developer mode or who build the predefined filter in the Query Builder.

Text

A single text box. The user types a fragment of the value; the comparison is **Contains** (**Contains**) with the typed text. This is the default control for text, number, currency, lookup, hyperlink, calculated and ID columns. Because **Contains** cannot use a column index, prefer another control for large lists (see KB10257).

Text (with options)

A drop-down of operators followed by a text box (up to 300 characters). The operators are **Contains** (**Contains**), **Equals** (**Eq**), **Does not equal** (**Neq**), **Begins with** (**BeginsWith**), **Is greater than** (**Gt**), **Is greater than or equal to** (**Geq**), **Is less than** (**Lt**), **Is less than or equal to** (**Leq**), **Does not contain data** (**IsNull**) and **Contains data** (**IsNotNull**). The text box disappears for the last two operators, since they need no value. The default operator is **Contains**; an operator with an empty text box adds no condition.

The Text and Text (with options) controls

Dropdown

A drop-down list of the values that actually occur in the column. The values are loaded from the list the same way the column header menu of a native SharePoint view loads them, respect the current folder and, with **Cascading filters** on, the filters selected in the other controls. The list begins with three fixed entries — **(All)** (no condition), **Contains data** (**IsNotNull**) and **Does not contain data** (**IsNull**) — followed by a divider and the values. Choosing a value produces **Equals** (**Eq**). This is the default control for choice columns.

Dropdown (Multiple Values)

A combo box in which several values can be checked; the selected values are shown in the box separated by commas. The condition is **In** (**In** with a **Values** list), so an item matches when the column holds any of the checked values. The value list is loaded and narrowed in the same way as for **Dropdown**. The fixed entries **(All)**, **Contains data** and **Does not contain data** are not offered here.

Date picker

A drop-down of operators and, for the operators that need a date, a calendar picker that follows the date format and first day of the week of the regional settings of the site. The operators are **Contains data** (**IsNotNull**), **Does not contain data** (**IsNull**), **On** (**Eq**), **Not on** (**Neq**), **On or after** (**Geq**), **After** (**Gt**), **On or before** (**Leq**) and **Before** (**Lt**). The date is sent without a time part, so the comparison is made by day.

Warning

The default operator of the **Date picker** is **Contains data**, and this condition is applied automatically as soon as the page opens. Items whose date column is empty are therefore hidden until the user changes the operator or clears the filter. Use **Date Range** when empty dates must remain visible by default.

Date Range


Two calendar pickers labeled **From** and **To**. Either of them can be left empty. The start date produces **After** (**Gt**) and the end date produces **Before** (**Lt**); both boundaries are exclusive, so items dated exactly on the **From** or **To** day are not included, and the user has to choose a day earlier or later to include them. The picker does not let the user choose an end date earlier than the start date. This is the default control for date and time columns and it adds no condition until a date is selected.

Relative Date

A drop-down of periods relative to the current day, followed by a number box for the periods that need one: **Last X Days**, **Last X Weeks**, **Last X Months**, **Last X Years**, **Today**, **Next X Days**, **Next X Weeks**, **Next X Months** and **Next X Years**. **Today** produces **Eq** with the CAML **<Today />** value; the other periods produce a pair of comparisons (**Geq** and **Leq**) between the computed boundary date and today. The number can be up to 1,000.

Note

The default period of the **Relative Date** control is **Today**, and it is applied automatically when the page opens: the list initially shows only the items whose date is today. Choose this control for columns where "today" is the natural starting point, such as a due date or an event date.



Person or Group

A compact people picker. The user types a part of a name and picks a person from

the **Suggested People** list; the picker searches the users of the site. In the single-value variant one person can be selected, in **Person or Group (Multiple Values)** up to twenty. The condition is **In** on the user ID (**FieldRef LookupId="TRUE"**), so a multi-value column matches when it contains any of the selected people. This is the default control for person or group columns.

Note

The picker suggests users only; SharePoint and Microsoft 365 groups cannot be selected in the filter pane even when the column allows groups. To filter such a column by a group name, assign the **Dropdown** or **Text** control instead.

Term


A tag picker for managed metadata columns. The user types a part of a term label and picks a term from the term set bound to the column; deprecated terms are not suggested. **Term** accepts one term and produces **Contains** (**Contains**) with the term label; **Term (Multiple Values)** accepts up to twenty terms and produces **In** with the labels. This is the default control for managed metadata columns.

Numeric range

A two-handle slider. When the pane loads, the web part reads the smallest and largest value of the column in the list (within the current folder) and uses them as the ends of the slider; the step is 1 for whole-number columns and 0.1 for other numbers and currency. Moving the handles produces **Is greater than or equal to** (**Geq**) for the lower value and **Is less than or equal to** (**Leq**) for the upper value, with the type of the column.

Yes/No

A toggle with the labels **Yes** and **No**. The condition is **Equals** (**Eq**) with **1** or **0**. An untouched toggle adds no condition; once the user has switched it, the current position is sent, so switching it back to **No** filters the list to items with the value No rather than removing the filter. **Clear Filter** removes the condition. This is the only control for yes/no columns and for the **Attachments** column, where Yes means "has attachments".



Column types and available controls

The **Filter Type** list of the configurator offers the following controls for each SharePoint column type. The control in bold is the default.

Column type	Available controls
Single line of text, Title	Text , Text (with options), Dropdown, Dropdown (Multiple Values)
Multiple lines of text	Not listed — SharePoint does not allow filtering by this column type
Choice (single and multiple selection)	Text, Text (with options), Dropdown , Dropdown (Multiple Values)
Number, Currency	Text , Text (with options), Numeric range
Date and Time, Created, Modified	Date picker, Date Range , Relative Date
Yes/No	Yes/No
Person or Group (single and multiple), Created By, Modified By	Person or Group , Person or Group (Multiple Values), Text, Text (with options), Dropdown, Dropdown (Multiple Values)
Lookup (single and multiple)	Text , Text (with options), Dropdown, Dropdown (Multiple Values)
Managed Metadata (single and multiple)	Text, Text (with options), Term , Term (Multiple Values), Dropdown, Dropdown (Multiple Values)
Hyperlink or Picture	Text , Text (with options)
ID	Text , Text (with options)
Attachments	Yes/No
Calculated	Text , Text (with options), Dropdown, Dropdown (Multiple Values)
Approval status	Not listed — the column is treated as a system column
Likes, rating columns	Text

Columns of other types — content type ID, GUID, workflow and threading columns — may appear in the list when SharePoint marks them as filterable, but their **Filter Type** list is empty and they should not be selected. Columns with multiple values (choice with multiple selection, multi-value lookup, person or group with multiple selection, multi-value managed metadata) receive the same controls as their single-value counterparts; a condition matches an item when any of its values satisfies it.

Warning

On lists and libraries with more than 5,000 items SharePoint can refuse a query that filters by a column without an index. The configurator marks such columns with a warning — "The column is not indexed. Filtering a large list by this column may not work." — and lets you create the index on the spot. Indexes, the threshold and the related design rules are described in [KB10257. Filtering Large Lists: Indexed Columns and the 5,000-Item Threshold](#).

Related articles

The filter pane is one of three ways to filter the list in List Filter Online. The column header menu offers sorting and a filter by values for every column marked **Filterable**, and the administrator can fix a permanent condition in the Query Builder.

Tip

To build a predefined filter that every user gets — for example, only active records of the current department — see [KB50025. How to Build a Complex Query with the List Filter Online Query Builder](#). To make the drop-down values depend on each other, see [KB10256. Cascading Filters in List Filter Online](#). For the people who will use the pane, see [KB10252. List Filter Online: Quick Guide for End Users](#).

Terms

CAML

Collaborative Application Markup Language (CAML) is a case-sensitive, XML-based language used in SharePoint to define data definition objects such as lists, document libraries, views, content types, fields, and data rendering elements. For example, CAML can be used to build a query that filters and retrieves data from lists or libraries.

SharePoint Online

The cloud version of SharePoint, a web-based collaboration platform within Microsoft 365 that provides an extensive range of capabilities to store, share, and manage the digital information, content, and knowledge of an organization.