

KNOWLEDGE BASE ARTICLE

Using SharePoint Column Formatting JSON in List Filter Online



Disclaimer

For the purposes of this Disclaimer:

- **Company** (referred to as either "the Company", "We", "Us" or "Our" in this Disclaimer) refers to Vitextra SIA, LV-1009 Riga, Matise iela 61 - 25.
- **Document** refers to the Knowledgebase Article.
- **You** means the individual accessing the Document, or the company, or other legal entity on behalf of which such individual is accessing or using the Document, as applicable.
- **Website** refers to Vitextra, accessible from <https://vitextra.com>

Disclaimer

The information contained in the Document is for general information purposes only.

The Company assumes no responsibility for errors or omissions in the contents of the Document.

In no event shall the Company be liable for any special, direct, indirect, consequential, or incidental damages or any damages whatsoever, whether in an action of contract, negligence, or other torts, arising out of or in connection with the use of the contents of the Document. The Company reserves the right to make additions, deletions, or modifications to the contents in the Document at any time without prior notice.

Errors and Omissions Disclaimer

The information given by the Document is for general guidance on matters of interest only. Therefore, errors can occur even if the Company takes every precaution to ensure that the Document's content is current and accurate. Plus, given the changing nature of laws, rules, and regulations, there may be delays, omissions, or inaccuracies in the information contained in the Document.

The Company is not responsible for any errors or omissions, or for the results obtained from the use of this information.

Fair Use Disclaimer

The Company may use copyrighted material that the copyright owner has not explicitly authorized. The Company is making such material available for criticism, comment, news reporting, teaching, scholarship, or research.

The Company believes this constitutes a "fair use" of any such copyrighted material as provided for in section 107 of the United States Copyright law.

If You wish to use copyrighted material from the Document for your own purposes that go beyond fair use, You must obtain permission from the copyright owner.

"Use at Your Own Risk" Disclaimer

All information in the Document is provided "as is", with no guarantee of completeness, accuracy, timeliness or of the results obtained from the use of this information, and without warranty of any kind, express or implied, including, but not limited to warranties of performance, merchantability and fitness for a particular purpose.

The Company will not be liable to You or anyone else for any decision made or action taken in reliance on the information given by the Service or for any consequential, special or similar damages, even if advised of the possibility of such damages.

Contact Us

If you have any questions about this Disclaimer, You can contact Us by email: support@vitextra.com.

Table Of Contents

Introduction	4
Enabling column formatting	4
What is supported	5
Elements	5
Styles	5
Attributes	6
Field tokens	7
Expressions	8
What is not supported	8
Examples	9
Performance	11
Related articles	11
Terms	13

Introduction

Column formatting is a feature of **SharePoint Online** that changes how a column is displayed with a JSON description: a status shown as a colored pill, a number colored by its value, a person rendered as a link that starts an e-mail. The description is stored on the column itself, and SharePoint applies it in every view of the list.


[List Filter Online](#) can honor these descriptions. When the option is enabled, the web part reads the column formatting JSON of each column that has one and renders the cells of the table from it, so the table on your page looks like the list it comes from. The web part implements the commonly used subset of the column formatting language; this article lists exactly what is supported, what is not, and what happens when a format goes beyond the subset.

Note

The web part applies column formatting only. View formatting — the JSON that formats rows or the whole view — is not read, because the web part does not use list views.

Enabling column formatting

Edit the page, open the property pane of the web part and expand the **Appearance** group. Switch on **Use column formatting from the list**. The option is off by default.



The JSON itself is not entered in the web part. It comes from the definition of the column in the source list — the same definition that SharePoint edits when you open **Column settings** → **Format this column** in the list and save a format. The web part loads it together with the other properties of the columns, so a format set on a column of a list on another site is applied as well. Formats are per column: every column that carries a format is rendered from it, and the columns without a format keep the display formats chosen in the column configurator (see

KB10258. Configuring Columns in List Filter Online: Captions, Formats and Display Options).

The screenshot shows the 'Format Status column' dialog on the left, which is used to define JSON formatting for a column. The dialog has a 'Format view' tab and a 'Format columns' tab. Under 'Format columns', a column named 'Status' is selected. The JSON code is as follows:

```
1 {
2   "$schema": "https://
3     developer.
4     microsoft.com/
5     json-schemas/sp/v2/
6     column-formatting.
7     schema.json",
8   "elmType": "div",
9   "txtContent":
10     "@currentField",
11   "style": {
12     "display":
13       "inline-block",
14     "padding": "2px
15       10px",
16     "border-radius":
17       "12px",
18     "font-weight":
19       "600",
20     "color": "#ffffff",
21     "background-color":
22       "=if
23         (@currentField
24           == 'Approved',
25           '#107c10', if
26           (@currentField
27             == 'Rejected',
28             '#a4262c'
29           )
30       )"
31   }
32 }
```

Below the JSON code, there is a 'Switch to design mode' button and a note: 'This formatting JSON will be discarded'. At the bottom are 'Preview', 'Save', and 'Cancel' buttons.

On the right, the 'Project tasks' list is displayed with columns: Title, Department, Project, Status, Assigned To, Due date, Amount, and Modified. The list contains 12 items, each with a status badge (Active, On hold, Approved, Completed, Rejected, In progress) and a user icon.

A column format defined in the list and applied in the web part

When a format is applied to a column, it replaces the cell entirely, including the **Linked to item** option of that column. Put a link into the format itself if the value should stay clickable.

What is supported

Elements

A format is a tree of elements. Each element is an object with the following keys:

- **elmType** — one of **div**, **span**, **a**, **img**, **button** or **p**. Any other value, except the unsupported ones listed below, is rendered as a **div**.
- **txtContent** — the text of the element: a literal string, a field token or an expression.
- **style** — CSS properties of the element (see below).
- **attributes** — HTML attributes of the element (see below).
- **children** — an array of child elements, rendered in order.

Keys the web part does not know, such as **\$schema** or **debugMode**, are ignored.

Styles

The **style** object may set the following CSS properties; every value can be a literal or an expression:

background, background-color, border, border-top, border-right, border-bottom, border-left, border-color, border-style, border-width, border-radius, box-shadow, color, cursor, direction, display, fill, flex-direction, flex-wrap, align-items, justify-content, font-family, font-size, font-style, font-weight, letter-spacing, line-height, text-align, text-decoration, text-overflow, text-transform, white-space, word-break, overflow, opacity, visibility, padding, padding-top, padding-right, padding-bottom, padding-left, margin, margin-top, margin-right, margin-bottom, margin-left, width, min-width, max-width, height, min-height, max-height.

Properties outside this list — for example **position** or **z-index**, which could break the layout of the table — are skipped silently. A value that contains **url(** is skipped as well, so background images cannot be loaded through styles.

Attributes

Attribute	Elements	Behaviour
class	all	Sets the CSS class of the element. Class names of SharePoint, such as sp-field-severity--good , are accepted but have no styling on the page; use style for colors.
title	all	Sets the tooltip of the element.
href	a	The address of the link. Allowed are http: , https: , mailto: , tel: and relative addresses; any other scheme is dropped and the element is rendered without a link. Links get rel="noreferrer" .
target	a	The target window of the link; _blank (a new tab) when not specified.
src, alt	img	The address and the

Attribute	Elements	Behaviour
		alternative text of the image. The same address rules as for href apply; an image without a valid src is not rendered.
iconName	all	The name of a Fluent UI icon, such as Mail or CheckMark , inserted in front of the text of the element.

Other attributes, including **role**, **aria-***, **d** and **data-interception**, are ignored.

Field tokens

Token	Value
@currentField	The value of the formatted column.
@currentField.prop	A property of the value: for a person title , email , id , jobTitle , department or picture ; for a lookup lookupValue or lookupId ; for a hyperlink Url or Description .
[\$Field]	The value of another column of the same item, by its internal name.
[\$Field.prop]	A property of that value, with the same property names.
@me	The e-mail address of the current user.
@now	The current date and time.

Tokens may stand alone ("**txtContent**": "**@currentField**") or inside a longer string ("**txtContent**": "**Owner: [\$Owner.title]**"). A multi-value column (several people, lookups or terms) is displayed as a comma-separated list; property access such as **[\$Owner.email]** on a multi-value column returns the property of the first value. Person and lookup values display their name; dates display as a localized date.

Expressions

Expressions can be written as operator trees — objects with **operator** and **operands** — or as strings that start with **=**, using the Excel-like syntax of SharePoint. Both forms support the same set of operations:

- arithmetic: **+** (also string concatenation), **-**, *****, **/**, **%**;
- comparison: **==**, **≠**, **>**, **<**, **≥**, **≤** — dates are compared by their time stamp;
- logic: **&&**, **||**, **!**, the conditional **? :** (in a tree, operator **?** or **:** with three operands) and the function **if(condition, whenTrue, whenFalse)**;
- conversion: **toString()**, **Number()**, **Date()**;
- numbers: **abs()**, **floor()**, **ceiling()**;
- strings: **toLowerCase()**, **toUpperCase()**, **indexOf()**, **substring()**, **length()**.

In **=** strings, string literals are written in single or double quotes, numbers as digits, booleans as **true** and **false**; parentheses group sub-expressions, and field tokens are used directly: **=if([\$Priority] == 'High', '#a4262c', '#323130')**.

What is not supported

The web part does not implement the following parts of the column formatting language:

- **forEach** — repeating an element for each value of a multi-value column;
- **customRowAction** — buttons that start a flow, open a panel or set a field value;
- **elmType: "filepreview"** — document previews;
- **elmType: "svg"** and **path** — inline vector graphics;
- the tokens **@rowIndex**, **@window**, **@thumbnail**, **@currentWeb** and other tokens not listed above;
- the operators and functions not listed above, such as **toLocaleString()**, **toLocaleDateString()**, **startsWith()**, **padStart()**, **replace()**, **split()**, **join()**, **getDate()**, **addDays()**, **getUserImage()**, **cos()** and **sin()**.

A format that uses **forEach**, **customRowAction**, **filepreview**, **svg**, an unknown operator or function, an unknown **@** token or a syntax error in an **=** expression cannot be rendered. In that case the web part gives up on the format and renders the column with its default display — the format chosen in the column configurator — exactly as if the option were off for that column. The other columns are not affected. Unknown attributes and style properties, on the other hand, are simply skipped and the rest of the format is applied.

Warning

The formats produced by the column formatting designer in SharePoint and the samples published by Microsoft often use constructs outside the supported subset, such as `forEach`, `customRowAction`, `getUserImage()` or `toLocaleDateString()`. A format that works in the list may therefore fall back to the default display in the web part. Always check the result on the page after enabling the option, and simplify the format if a column is not rendered as expected.

Note

Values reach the format as the list displays them. A number or a date is therefore text, formatted with the regional settings of the list; convert it with `Number()` or `Date()` before comparing it with a number or another date. A number with a thousands separator may not convert — compare the raw value of another column instead, or keep the formatted column simple.

Examples

The following formats stay within the supported subset.

A status pill. The choice value is shown on a rounded background whose color depends on the value:

```
{
  "$schema": "https://developer.microsoft.com/json-schemas/sp/v2/column-formatting.schema.json",
  "elmType": "div",
  "txtContent": "@currentField",
  "style": {
    "display": "inline-block",
    "padding": "2px 10px",
    "border-radius": "12px",
    "font-weight": "600",
    "color": "#ffffff",
    "background-color": "=if(@currentField == 'Approved', '#107c10', if(@currentField == 'Rejected', '#a4262c', '#8a8886'))"
  }
}
```

Status: Approved, In progress, Rejected Clear all the filters

Project tasks

Title ▾	Department ▾	Project ▾	Status ▾ ▾ ▾	Assigned To ▾	Due date ▾	Amount ▾	Modified ▾
Order large exhibition...	Marketing	Trade fair 2026	Rejected	Megan Bowen	11/30/2026 3:00 PM	\$18,000.00	10/12/2026 2:58 AM
Buy additional BI licen...	Engineering	Data platform	Rejected	Lee Gu	11/10/2026 3:00 PM	\$6,000.00	10/12/2026 2:58 AM
Increase travel budget	Finance	Budget 2027	Rejected	Diego Siciliani	10/21/2026 3:00 PM	\$9,000.00	10/12/2026 2:58 AM
Update logo usage gu...	Marketing	Brand refresh	In progress	Adele Vance	10/15/2026 3:00 PM	\$5,200.00	10/12/2026 2:58 AM
Import customer cont...	Sales	CRM rollout	In progress	Isaiah Langer	10/19/2026 3:00 PM	\$6,400.00	10/12/2026 2:58 AM
Release mobile app b...	Engineering	Mobile app	In progress	Lee Gu	10/31/2026 3:00 PM	\$9,800.00	10/12/2026 2:58 AM
Collect department fo...	Finance	Budget 2027	In progress	Diego Siciliani	10/13/2026 3:00 PM	\$0.00	10/12/2026 2:58 AM
Choose new colour pa...	Marketing	Brand refresh	Approved	Megan Bowen	10/08/2026 3:00 PM	\$1,500.00	10/12/2026 2:58 AM
Partner discount policy	Sales	Partner program	Approved	Miriam Graham	10/11/2026 3:00 PM	\$800.00	10/12/2026 2:58 AM
Prepare 2027 budget ...	Finance	Budget 2027	Approved	Diego Siciliani	10/06/2026 3:00 PM	\$0.00	10/12/2026 2:58 AM

1 - 10 Page 1

A Status column rendered as colored pills

A number colored by its value, written as an operator tree. Amounts above 1000 are shown in red and bold:

```
{
  "elmType": "span",
  "txtContent": "@currentField",
  "style": {
    "color": {
      "operator": "?",
      "operands": [
        { "operator": ">", "operands": [ { "operator": "Number()", "operands": [ "@currentField" ] }, 1000 ] },
        "#a4262c",
        "#107c10"
      ]
    },
    "font-weight": "=if(Number(@currentField) > 1000, '700', '400')"
  }
}
```

A link with an icon. The person in the Assigned To column is rendered as a mail link with an envelope icon; the format is set on the Assigned To column itself and uses the properties of the person value:

```
{
  "elmType": "a",
```

```

"attributes": {
  "href": "='mailto:' + @currentField.email",
  "title": "=@currentField.title",
  "iconName": "Mail",
  "target": "_blank"
},
"txtContent": "@currentField.title",
"style": {
  "color": "#0078d4",
  "text-decoration": "none"
}
}

```

Assigned To ▾	Due date
 Megan Bowen	11/30/202
 Lee Gu	11/10/202
 Diego Siciliani	10/21/202
 Adele Vance	10/15/202
 Isaiah Langer	10/19/202
 Lee Gu	10/31/202
 Diego Siciliani	10/13/202
 Megan Bowen	10/08/202
 Miriam Graham	10/11/202
 Diego Siciliani	10/06/202
A person column rendered as a mail link with an icon	

Performance

The JSON of a column is parsed once, the first time a cell of that column is rendered, and the parsed tree is reused for every other cell of the column and for every later page of items. Only the tokens and expressions are evaluated per cell. Enabling the option therefore adds very little to the time the table needs to appear, even on long pages.

Related articles

Tip

The display formats that the web part applies when a column has no column formatting, or when a format falls back, are described in [KB10258. Configuring Columns in List Filter Online: Captions, Formats and Display Options](#). The complete column formatting language, including the parts outside the subset, is documented by Microsoft at [Use column formatting to customize SharePoint](#). The remaining settings of the web part are described in [KB10201. Configuring the List Filter Online Web Part](#).

Terms

SharePoint Online

The cloud version of SharePoint, a web-based collaboration platform within Microsoft 365 that provides an extensive range of capabilities to store, share, and manage the digital information, content, and knowledge of an organization.