KNOWLEDGE BASE ARTICLE

Counters, Last Activity or Best Answer Look Wrong

2026 © Vitextra SIA. All rights reserved.

Disclaimer

For the purposes of this Disclaimer:

- **Company** (referred to as either "the Company", "We", "Us" or "Our" in this Disclaimer) refers to Vitextra SIA, LV-1009 Riga, Matise iela 61 - 25.
- **Document** refers to the Knowledgebase Article.
- **You** means the individual accessing the Document, or the company, or other legal entity on behalf of which such individual is accessing or using the Document, as applicable.
- **Website** refers to Vitextra, accessible from https://vitextra.com

Disclaimer

The information contained in the Document is for general information purposes only.

The Company assumes no responsibility for errors or omissions in the contents of the Document.

In no event shall the Company be liable for any special, direct, indirect, consequential, or incidental damages or any damages whatsoever, whether in an action of contract, negligence, or other torts, arising out of or in connection with the use of the contents of the Document. The Company reserves the right to make additions, deletions, or modifications to the contents in the Document at any time without prior notice.

Errors and Omissions Disclaimer

The information given by the Document is for general guidance on matters of interest only. Therefore, errors can occur even if the Company takes every precaution to ensure that the Document's content is current and accurate. Plus, given the changing nature of laws, rules, and regulations, there may be delays, omissions, or inaccuracies in the information contained in the Document.

The Company is not responsible for any errors or omissions, or for the results obtained from the use of this information.

Fair Use Disclaimer

The Company may use copyrighted material that the copyright owner has not explicitly authorized. The Company is making such material available for criticism, comment, news reporting, teaching, scholarship, or research.

The Company believes this constitutes a "fair use" of any such copyrighted material as provided for in section 107 of the United States Copyright law.

If You wish to use copyrighted material from the Document for your own purposes that go beyond fair use, You must obtain permission from the copyright owner.

"Use at Your Own Risk" Disclaimer

All information in the Document is provided "as is", with no guarantee of completeness, accuracy, timeliness or of the results obtained from the use of this information, and without warranty of any kind, express or implied, including, but not limited to warranties of performance, merchantability and fitness for a particular purpose.

The Company will not be liable to You or anyone else for any decision made or action taken in reliance on the information given by the Service or for any consequential, special or similar damages, even if advised of the possibility of such damages.

Contact Us

If you have any questions about this Disclaimer, You can contact Us by email: support@vitextra.com.

Table of contents

Overview 4

How the values are stored 4

Replies counter differs from the thread 5

Views are not counted, or counted too much 6

Last activity and last reply by 7

Best answer and the Answered status 7

Likes 8

Correcting the values in the list 9

Terms 11

Overview

The numbers shown in the topic **list** of Discussions are not calculated on the fly. Replies, views, likes, last activity, the last person who replied and the accepted answer are **stored on the topic item** in the `Discussions Topics` list and updated by the browser of the user who replies, opens or likes. This keeps a board with thousands of topics fast, at the price that a counter can occasionally lag behind reality. This article explains how each value is maintained in version 26.11.4, which situations make it look wrong, and how to correct it. The meaning of the counters for end users is described in KB10405. Likes, Views and Reply Counters in Discussions.

How the values are stored

Shown as	Column in	Updated when
N replies	**Replies** (`VtxReplyCount`)	An approved reply is posted (+1), a pending reply is approved in the **web part** (+1), an approved reply is deleted or rejected in the web part (−1)
N views	**Views** (`VtxViewCount`)	A user who can write opens the topic (+1), once per topic in a browser session
Order in the list, *3 hours ago*	**Last activity** (`VtxLastActivity`)	The topic is created; an approved reply is posted or approved
-	**Last reply by** (`VtxLastReplyBy`)	An approved reply is posted or a reply is approved; stores its author, not the approving moderator. Empty on a newly created topic
Like (N)	**Likes** (`VtxLikeCount`) and **Liked by** (`VtxLikedBy`)	A user likes or unlikes the topic

Shown as	Column in	Updated when
Answered badge and check mark, **Answered view**, accepted reply on top	**Accepted post** (`VtxAcceptedPostId`) greater than 0 on the topic, **Is accepted answer** (`VtxIsAccepted`) on the reply; **Status** (`VtxStatus`) is set to *Answered* when an answer is marked and *Open* when it is unmarked; *Locked* is retained for a locked topic	The topic author or a moderator clicks **Mark as answer** or **Unmark answer**

Replies have their own **Likes** and **Liked by** columns in `Discussions Posts`. Reply and view counters and last-activity metadata are updated separately; a failed update does not undo a saved reply and may leave stale values without displaying an error. Likes and accepting or unmarking an answer are different: their writes are awaited, and failures can be shown in the web part. Accepting an answer uses several writes, so a failure can leave the reply and topic inconsistent.

Note

The **Topics** column of the `Discussions Boards` list (`VtxTopicCount`) is increased when a topic is created in the web part and decreased when a topic is deleted in the web part, as a best-effort update. It is not shown anywhere in the web part, and topics created by the classic board importer or added and removed directly in the list are not counted, so for an exact figure count the topics of the board in the `Discussions Topics` list.

Replies counter differs from the thread


Symptom. The list says *5 replies* but the thread shows four, or the other way round.

Causes and fixes.

- **Pending and rejected replies are not counted.** A reply waiting for approval adds to the counter only when it is approved in the web part; a rejected reply is never counted, and when a moderator rejects a reply that was already approved, the counter goes down by one. A moderator sees pending and rejected replies in the thread, so for a moderator the thread can legitimately show more replies than the

counter.

- **The reply was approved, rejected or deleted directly in the list.** Changing **Approval status** in `Discussions Posts` or deleting an item there bypasses the web part, so the counter is not touched. Approve, reject and delete in the web part; if the change was made in the list, correct the counter by hand (see below).
- **Two people replied at the same moment.** Each browser updates the counter from its loaded topic value, so concurrent replies or a stale page can overwrite a newer count. There is no automatic recount; count the approved replies and correct the value manually.
- **The replier cannot edit the topic item.** The counter lives on the topic, which was created by someone else. If a **site** owner set **List settings** → **Advanced settings** → **Item-level permissions** of `Discussions Topics` to *Create items and edit items that were created by the user*, nobody but the author and moderators can update the counters of a topic. Keep the default *Create and edit all items* on the Discussions lists.
- **Imported topics.** The classic board importer sets the counters in its final phase (*Updating counters and answers*); if the import was interrupted, re-run it. See KB10421. Troubleshooting the Classic Board Import.



The stored reply and view counters of a topic

Views are not counted, or counted too much

Symptom. A topic read by many people shows a handful of views, or the counter grows when the same person comes back to the topic in a new browser session.

Cause. The web part adds one view when a topic is opened, **by writing to the topic item**, but only once per topic in a browser session: it stores a flag in the session storage of the browser, so opening the topic again in the same session does not count again. The flag is cleared when the browser tab is closed, so a new session, another browser or another device counts again, and if the browser blocks session storage every opening is counted. Visitors with **Read** permission cannot write, so their visits are not counted at all; on a board where most people are readers the counter reflects the members only. The visits of the author count like any other. The counter you see

when you open a topic is the value **before** your own visit.

Fix. There is nothing to repair; treat views as an indication of activity among members rather than an audience figure. If the counters are not wanted, hide them with **Show reply and view counters** in the property pane, see KB10422. Views, Paging, Search and Counters: Display Settings of the Discussions Web Part.

Last activity and last reply by

Symptom. A topic edited today still sits far down the **Recent** list; a topic whose last reply was deleted keeps its old date; **Last reply by** names a moderator who never replied.

Cause. *Last activity* is set when the topic is created; *Last reply by* is initially empty. Both are updated when an approved reply is posted or a reply is approved. They are **not** changed by editing a topic or a reply, by liking, pinning, featuring or locking, by rejecting a reply, or by deleting the last reply, which leaves the previous values in place. When a moderator approves a pending reply, the web part records the **author of the reply** as *Last reply by*, not the moderator. Version 26.10.2 recorded the approving moderator, so topics whose replies were approved with that version may still show a moderator.

Fix. The list order is correct for the purpose of showing where conversations happen; if a topic must stay on top, a moderator can **Pinned** it. To correct a value, edit the columns in the list (below).

Best answer and the Answered status

Symptom. A question shows the *Answered* badge but no reply is marked as the accepted answer; or a locked question still shows the *Answered* badge; or the accepted answer is not at the top; or **Mark as answer** is missing.

Causes and fixes.

When correcting the accepted answer manually, keep **Status** as `Locked` if the topic must remain locked; use `Open` only for an unlocked topic without an accepted answer. Pending and rejected replies must be approved before they can be marked as an answer. A failed cleanup of a previous accepted reply can also leave two replies marked.

- **The answered state follows the accepted reply, not the status.** The *Answered* badge, the check-mark icon and the **Answered** view depend on **Accepted post** being greater than 0; the **Unanswered** view lists the questions whose **Accepted post** is 0. Locking an answered question therefore keeps its badge, its icon and its place in the

Answered view although **Status** is *Locked*, and unlocking the topic sets **Status** back to *Answered* (or *Open* if there is no accepted reply). This is intended.

- **The accepted reply was deleted.** When the reply is deleted in the web part, the topic clears **Accepted post** and returns to *Open* (a locked topic stays *Locked*), so the question moves back to the **Unanswered** view. If the reply was deleted directly in the list, or with version 26.10.2, the topic still holds the id of the deleted reply in **Accepted post**: the badge stays while the thread shows no accepted answer. The author or a moderator marks another reply with **Mark as answer** (which replaces the stored id), or a moderator sets **Accepted post** to 0 and sets **Status** to *Open* or retains *Locked*, as explained above.
- **Only top-level replies can be accepted. Mark as answer** is offered on direct replies to the question, not on replies to replies, and only in topics of type *Question*. A *Discussion* topic has no best answer and never gets the *Answered* state.
- **Only the author and moderators see the button.** Other members do not see **Mark as answer** at all. A pending reply cannot be accepted until it is approved.
- **The topic is locked. Mark as answer** and **Unmark answer** are hidden while the topic is locked. A moderator unlocks the topic first, changes the answer and locks it again.
- **Two replies are marked.** The web part clears the previous accepted reply when a new one is marked; if the previous one was already deleted at that moment, nothing is left to clear. If a reply still shows *Accepted answer* wrongly, a moderator opens `Discussions Posts` and sets **Is accepted answer** to *No* on it.
- **The status was changed in the list.** Setting **Status** to *Answered* in the list does not make a topic answered: the badge and the **Answered** view follow **Accepted post**. For an unlocked topic without an accepted answer, set **Status** to *Open*; retain *Locked* if it must stay locked.

How accepting works for end users is described in KB10400. Marking the Best Answer in Q&A Topics.

Likes

Symptom. *Like (3)* is shown but only two people are listed in **Liked by**, or a user cannot remove a like.


Cause. Each like writes the user list and count together, using the values loaded in the browser. Concurrent or stale updates can overwrite another user's like; they do not inherently cause the two columns to diverge. An existing mismatch can persist after later likes. The highlighted **Like** button follows **Liked by**, while the number follows **Likes**. Readers with **Read** permission cannot like.

Fix. A moderator can align the two columns in the list: set **Likes** to the number of people in **Liked by**.

Correcting the values in the list

A moderator can correct any of the stored values directly:

1 Click **Open List** above the web part (or in the **Board** group of the property pane). The `Discussions Topics` list opens.
2 Find the topic and open its item for editing. The columns **Replies**, **Views**, **Last activity**, **Last reply by**, **Likes**, **Status** and **Accepted post** can be edited like any list columns. The answered state follows **Accepted post**: set it to 0 to make a question unanswered again.
3 To get the right number of replies, open `Discussions Posts` and filter it by the **Topic** column and **Approval status** = *Approved*; the number of items is the value for **Replies**.
4 Save and reload the board page.



Editing the stored counters of a topic in the list

Warning

Edit only the columns named above. Do not change **Board**, **Type**, **Path**, **Depth** or **Parent post**, or delete or recreate the `Vtx` columns: the web part relies on their internal names and schema. If list versioning is enabled, edits, including counted views, can add versions. Review **Versioning settings** with your administrator before reducing retained history.

Tip

If several counters on a board are off after a bulk change in the lists, it is usually quicker to fix the few topics that matter (pinned, featured, recent) than to recount everything; the counters of old topics are rarely looked at. The columns and their types are listed in KB10426. Discussions Lists and Columns Reference.

Terms

List
A list is a storage unit in SharePoint. A list can contain columns of different types, content types, and views. A document library is a special type of list and therefore inherits the functionality of a list.

Site
A SharePoint site is a container for information within the SharePoint platform. Sites typically offer features such as document libraries, lists, calendars, discussion boards, and workflows, facilitating collaboration, communication, and document management within teams or across departments. Sites can be customized and configured to suit the specific needs and workflows of an organization.

View
A view is a saved configuration that determines which items of a list or library are displayed and how, including the columns, sorting, filtering, grouping, and layout. Views can be personal or public.

Web Part
A web part is a primary building block of functionality or content placed on a SharePoint page. Some web parts support customization, such as configuring the web part or changing its appearance.